



## YOUARE ONAH RIGHT DOR

LET'S KNOCK

TO DECORE YOUR RESIDES



Welcome to EELQ Stone, where you can find the ingenious of Sharp vision, Global Network and Powerful Backbone. The company under the brand EELQ carries the vision to cater world class ENGINEER STONE with a sharp vision on market. It takes a lot of skill to design and manufacture in a competitive successful years as a leading QUARTZ STONE company.

EELQ Stone presents its latest home collection catalog, featuring an extensive selection of ideas for the home including a wide range of Quartz Stone with a wide variety of designs. Sizes and styles to suit all tastes and requirements. This catalog just features a selection of our latest products. in our showroom, you can find everything you could possibly need to dress up the home, including. edge products and the latest design trends.

Visit your nearest Quartz Stone showroom, where we can provide you with top-notch guidance and installation services, and remember, now you can take advantage of our unbeatable promotional offers and advantageous finance deals and purchase products for the home with all the quality and assurance of EELQ Stone different brand name.



A legacy that prevails the beauty.





Pressing Machine



Banding Checking



Quality Controling & Thickness Checking



Raw Material Storage





Mixing Area

## INDEX

















Calacatta Gold



Calacatta Olmpiya



Calacatta Dally




Calacatta Marmi



Calacatta Borgini



Calacatta Imperial at Kitchen Counter & Island




Calacatta Imperial






Calacatta Infinity



Calacatta Scot



Calacatta Classic




Calacatta Angelo









Calacatta Gold Spot




Calacatta Gold Spot at Kitchen Countertable



Calacatta Silver Spot



Calacatta NSL Black at Kitchen Island cum Sink Table




Calacatta NSL Black



Calacatta Bllinger








Calacatta Cestele



Calacatta Goldish



Thickness: 30 MM | 20 MM | 15 MM

Size : 900 MM x 3200 MM | 800 MM x 3200 MM





Grey Pipen



Grey Pipen at Kitchen Sink Island



Natural Satvario Marble










Milano Grey

Grey Carrara




Milano Grey at Kitchen Sink Countertop










Piatra Grey



Itaca White




New Everest



Stonic White



Jelishka White



Shadow White



Bellingham









Beton Grey



Grey Emprador



Prisies









Black Pearl




Fibus Black

Do Enjoy the TRANQUILITY beneath your feet.




































Terrazo Elegrate at Kitchen Counter

Size : 900 MM x 3200 MM | 800 MM x 3200 MM


Starry Light

Gold Sand









Aqua Green



Pink Perry Green

Yellow



Size : 900 MM x 3200 MM | 800 MM x 3200 MM

Aqua Green at Dining Table













Granity Tusk





Granity Silver


Granity Grey



Granity Grey at Kitchen Island



Pure Black



Pure White

Let's make the life COLORFUL with NO COLORS.

24









Ice Grey



Ice Silver



Ice Brown



Ice Almond



Ice Verde



Ice White



Frost White





Frost Silver



Frost Almond




Frost Beige



Thickness: 30 MM | 20 MM | 15 MM

Frost White at Kitchen Island





Rocker Cement



Crystal Grey at Kitchen Oven Counter

## CRYSTAL series



Crystal White



Crystal Grey


Thickness : 30 MM | 20 MM | 15 MM

Size: 900 MM x 3200 MM | 800 MM x 3200 MM

## TECHNICAL Stones Specifications



TEST PERFORMED	TEST STANDARD	RESULTS
App. Density Kg/dm3	EN14617-1	2.2-245
Water Abrosption	EN14617-1	<0.04
Flexural Strength (Mpa)	EN14617-2	50°-60°
Dimensional Stability	EN14617-12	Class A
Impact Resistance (joule)	EN14617-9	4 - 9 Joule
Compressive Strength (Mpa)	EN14617-15	170 - 220
Abrasion Resistance	EN14617-4	Groove Length = 21.1 mm
Frost Resistance	DIN 52104	Complies with Standard
Surface Hardness (Mohs Scale)	EN 101	6.0 - 7.0
Stain Resistance	ANSI Z124.6	Pass
Wear & Cleanability	ANSI Z124.6	Pass
Chemical Resistance	ANSI Z124.6	Pass
Chemical Resistance	EN14617-10	Class C4
Resistance to Acids	ASTM C 650	Not Affected
Linear Thermal Expansion (30°-60°)C <sup>1</sup>	EN14617-11	2.6 x 10
Boiling Water Resistance	NEMA LD3-3.5	Pass
High Temperature Resistance	NEMA LD3-3.6	Pass
Cigarette Test	ANSI Z124.6	Pass
Fire Classification	EN13501-1	Wall Cladding: B-S1-d0
		Flooring & Stairs: B-F1-S1
Stip Resistance	EN 14231	Wet: 13-21 SRV, Dry: 43-53 SRV
Rediation	GB 6666-2010	Complies with Requirement of
		Standard
Thermal Shock Resistance	EN14617-6	No Visual Defects After 10 Cycle
		Loss in Flexural Strength = 0.02% - 0.05%
		Loss in Mass = 0.07% - 1.1%
Freez & Thaw Resistance	EN14617-5	No Defects after 25 Freeze Thaw Cycle
Glossiness Reflection	%	55-70
Surface Slip Resistance HONED 400	DIN 51130	R9
Static Coefficient of Friction	ASTM C 1028	Dry: 0.8, Wet: 0.6





Survey No.665 P/1, Rangpar-Jivapar Road, Rangpar, Morbi, Gujarat 363642, INDIA

Contact: +91 98252 63282

www.eelqstone.com eelqstone@gmail.com





